



NOTES:
 *Not for construction,
 *Mass approximate and
 subject to change based on
 ASME calculation
 *Nozzle sizes and
 connections subject to
 change
 *3 304 SS tray Design
 *Spargers and Spray
 connections 304 SS

-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

REV. NO: DESCRIPTION: DATE: BY:

ENGINEER:

PROJECT:

CLIENT/CUSTOMER:

PAGE DESCRIPTION:
 750 GALLON DA OVERVIEW

MODEL #:
 DTD-750-CS

WORK ORDER #:

SCALE: 1:25 **DWG SIZE:** B **SHEET:** 1 OF 1

DRAWN BY: KEENAN KELLY **DATE:** 31/10/19

APPROVED BY: - **DATE:** -

DESIGN DATA

DESIGN CODE	ASME SECTION VIII DIV 1 2017	INTERNAL DESIGN	50 PSIG @ 300 °F	WPS	TBA
PIPE CODE	N/A	EXTERNAL DESIGN	15 PSIG @ 300 °F	PWHT	NONE
CODE STAMP	CRN VESSEL	MDMT	-20 °F @ 50 PSIG	WEIGHT DRY	2800 LBS
CRN NUMBER	TBA	HYDROTEST PRESSURE	65 PSIG @ 60 °F	WEIGHT OPERATING	9075 LBS
WIND CODE	N/A	CORROSION ALLOWANCE	STORAGE AREA: 1/16" DOME: 1/8" 304SS PARTS: 0"	VOLUME	750 USGAL
SEISMIC CODE	N/A	RT	NONE: UW-11(C) TYPE 1	INTERNAL FINISH	N/A
IMPACT TEST	EXEMPT PER UCS-66/UHA - 51	MT/PT	N/A	EXTERNAL FINISH	PRIMER

Nozzle Connection Table

N1	Condensate Return 1-1/2" SORF	N11	Pressure Transmitter 1/2" NPT
N2	Make up water Inlet 1-1/2" SORF	N12	Safety Valve 2" RF
N3	Steam Inlet 3" SORF	N13	Vaccum Breaker 1-1/2" NPT
N4	Boiler Feed Water 2" SORF	N14	Spare Conn 2" RF
N5	Over flow 2" NPT	N15	Boiler Feed Water 2" SORF
N6	Vent 2" NPT	N16	Chemical Dosing 1/2" NPT
N7	Drain 1-1/2" SORF	N17 a-b	Spill Back 1/2" NPT
N8 a-d	Level Gauge 1/2" NPT	N19	Boiler Trap Return 3" SORF
N9	Temp Element 1/2" NPT	M2	Manway 16" X 12"
N10	Pressure Gauge 1/2" NPT	DM	DOME 16" SORF

Custom Steam Solutions Inc
 Your Steam System Integrators

ESTIMATED DRY WEIGHT:
 - LBS

PROPRIETARY AND CONFIDENTIAL
 THIS DOCUMENT CONTAINS PRIVILEGED AND CONFIDENTIAL PROPERTY OF CUSTOM STEAM SOLUTIONS INC. ANY DISCLOSURE OR REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CUSTOM STEAM SOLUTIONS INC. IS PROHIBITED.

DRAWING #: 169-C004 **REV #:** 00